







	•		
	ELEMENT SPECS		
PART NUMBER	FG10		
MATERIAL	COALESCING		
FLOW RATE	24 CFM	41 m³/hr	
SURFACE AREA	N/A	N/A	
I.D.	3.00"	76mm	
O.D.	4.00"	102mm	
HEIGHT	6.00"	152mm	

FINISH: NICKEL

1-2	COL	DE	DC®
smi	JUL	.DE	NU
	Filtration ● S 630.773.1363	Separation • www.solbe	 Silencing ergmfg.com

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS EUDINCHED. IT WILL BE DETURNED LIDON DECLIFICATION. WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

MODEL NUMBER: EF-FG10-103		SHEET:
WODEL NOWIBER. EF-FG10-103		1 OF 1

MATERIAL: CARBON STEEL

DESCRIPTION: EF-FG10-103, NICKEL

MODEL #: EF-FG10-103

PROJECT:	DRAWN BY: ABL	APPROVED BY:	RE
SD12850	DATE : 7/11/2007	DATE:	F