





ELEMENT SPECS				
PART NUMBER	FG20			
MATERIAL	Coalescing			
FLOW RATE	44 CFM	75 m³/hr		
SURFACE AREA	1.4 ft²	0.1 m ²		
I.D.	7.98"	203mm		
O.D.	9.02"	229mm		
HEIGHT	4.83"	123mm		



THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS ELIDINGURED IN WILL BE DEFUNDED LIDON DECULED. WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

MODEL NUMBER: FG20	SHEET:
WIODEL NOWIBER. 1 G20	1 OF 1

DESCRIPTION: FG20, COALESCING

PROJECT:	DRAWN BY: TAS	APPROVED BY: NAD	REV:
	DATE : 10/2/2019	DATE : 10/3/2019	